

Author index

- Abe S *see* Ishibashi Y
 Actis-Perino E *see* Perotto S
 Amos W *see* Valsecchi E
 Anderson JB *see* Saville BJ
 Anderson S *see* Millar CD
 Andersson L *see* Ellegren H
 Angers B, Bernatchez L. Usefulness of heterologous microsatellites obtained from brook charr, *Salvelinus fontinalis* Mitchell, in other *Salvelinus* species, 317
 Arlinger J *see* Pedersen K
 Árnason E, Pálsson S. Mitochondrial cytochrome *b* DNA sequence variation of Atlantic cod *Gadus morhua* plain, from Norway, 715
 Ashley MV *see* Dow BD
 Asmussen MA *see* Sites JW, Jr
 Atlán A *see* Manicacci D
 Austin JJ, Parkin DT. Low frequency of extra-pair paternity in two colonies of the socially monogamous short-tailed shearwater *Puffinus tenuirostris*, 145
 Avise JC *see* Nelson WS
 Baker AJ *see* Friesen VL
 Baker CS, Cipriano F, Palumbi SR. Molecular genetic identification of whale and dolphin products from commercial markets in Korea and Japan, 671
 Barefield K *see* Strassmann JE
 Barrett RT *see* Friesen VL
 Bartsch D, Schmidt M, Pohl-Orf M, Haag C, Schuphan, I. Competitiveness of transgenic sugar beet resistant to beet necrotic yellow vein virus and potential impact on wild beet populations, 199
 Bass AL, Good DA, Bjørndal KA, Richardson JI, Hillis Z-M, Horrocks JA, Bowen BW. Testing models of female reproductive migratory behaviour and population structure in the Caribbean hawksbill turtle, *Eretmochelys imbricata*, with mtDNA sequences, 321
 Basten CJ *see* Sites, JW, Jr
 Bealby KA *see* Woolhouse MEJ
 Belhassen E *see* Manicacci D
 Bender CL *see* Sundin GW
 Bercovitch F *see* Kayser M
 Bermingham E *see* Brawn JD; McMillan WO
 Bernatchez L *see* Angers B
 Bérubé M, Palsbøll P. Identification of sex in Cetaceans by multiplexing with three ZFX and ZFY specific primers, 283
 Bjørndal KA *see* Bass AL; Encalada SE
 Blair D *see* Tikel D
 Blouin MS, Parsons M, Lacaille V, Lotz S. Use of microsatellite loci to classify individuals by relatedness, 393
 Bolten AB *see* Encalada SE
 Bonfante P *see* Perotto S
 Bowen BW *see* Bass AL; Encalada SE
 Bowman R *see* Haig SM
 Brawn JD, Collins TM, Medina M, Bermingham E. Associations between physical isolation and geographical variation within three species of Neotropical birds, 33
 Briese DT, Espiau C, Pouchot-Lermans A. Micro-evolution in the weevil genus *Larinus*: the formation of host biotypes and speciation, 531
 Brookfield JFY. A simple new method for estimating null allele frequency from heterozygote deficiency, 453
 Buchanan FC, Friesen MK, Littlejohn RP, Clayton JW. Microsatellites from the beluga whale *Delphinapterus leucas*, 571
 Burrows PR, Halford PD, Evans K. Estimation of genomic variation between British populations of the potato cyst nematode *Globodera pallida* using RAPD-PCR, 697
 Carlier J, Lebrun MH, Zapater MF, Dubois C, Mourichon, X. Genetic structure of the global population of banana black leaf streak fungus *Mycosphaerella fijiensis*, 499
 Chapuisat M. Characterization of microsatellite loci in *Formica lugubris* B and their variability in other ant species, 599
 Chen J, Jacobson LM, Handelsman J, Goodman R. Compatibility of systemic acquired resistance and microbial biocontrol for suppression of plant disease in a laboratory assay, 73
 Cipriano F *see* Baker CS
 Clayton JW *see* Buchanan FC
 Collins TM *see* Brawn JD
 Coltman DW, Don Bowen W, Wright JM. PCR primers for harbour seal (*Phoca vitulina concolor*) microsatellites amplify polymorphic loci in other pinniped species, 161
 Cornuet J-M *see* Estoup A
 Couvet D *see* Manicacci D
 Crease TJ *see* Weider LJ
 Da Silva MNF *see* Patton JL
 Danforth BN, Freeman-Gallant CR. DNA fingerprinting data and the problem of non-independence among pairwise comparisons, 221
 Davidson WS *see* Friesen VL
 Dawson IK, Simons AJ, Waugh R, Powell W. Detection and pattern of interspecific hybridization between *Gliricidia sepium* and *G. maculata* in Meso-America revealed by PCR-based assays, 89
 Del Tedesco D *see* Migheli Q
 Dempson JB *see* Wilson CC
 Don Bowen W *see* Coltman, DW
 Dow BD, Ashley MV. Microsatellite analysis of seed dispersal and parentage of saplings in bur oak, *Quercus macrocarpa*, 615
 Dubois C *see* Carlier, J
 El Mousadik A, Petit RJ. Chloroplast DNA phylogeography of the argan tree of Morocco, 547
 Ellegren H *see* Primmer CR
 Ellegren H, Mikko S, Wallin K, Andersson L. Limited polymorphism at major histocompatibility complex (MHC) loci in the Swedish moose *A. alces*, 3
 Encalada SE, Lahans PN, Bjørndal KA, Bolten AB, Miyamoto MM, Bowen BW. Phylogeography and population structure of the Atlantic and Mediterranean green turtle *Chelonia mydas*: a mitochondrial DNA control region sequence assessment, 473
 Ender A, Schwenk K, Städler T, Streit B, Schierwater B. RAPD identification of microsatellites in *Daphnia*, 437
 England PR *see* Houlden BA

- Epplen JT *see* Piquot, Y
 Espiau C *see* Briese, DT
 Estoup A *see* Paxton, RJ
 Estoup A, Solignac M, Cornuet J-M, Goudet J, Scholl A. Genetic differentiation of continental and island populations of *Bombus terrestris* (Hymenoptera: Apidae) in Europe, 19
 Evans K *see* Burrows PR
- Farid A *see* O'Connell M
 Fedorov V, Jaarola M, Fredga K. Low mitochondrial DNA variation and recent colonization of Scandinavia by the wood lemming *Myopus schisticolor*, 577
 Fereres A *see* Martínez-Torres D
 Ferguson MM *see* Volpe JP
 Ferreira AR *see* Kimberling, DN
 Fielder DR *see* Lavery, S
 Finch MO, Lambert DM. Kinship and genetic divergence among populations of tuatara *Sphenodon punctatus* as revealed by minisatellite DNA profiling, 651
 Fleischer RC *see* Nusser JA
 Fleming GS *see* Wilkinson GS
 Forneris G *see* Giuffra E
 Fraser JR *see* King TM
 Fredga K *see* Fedorov V
 Freeman-Gallant CR *see* Danforth, BN
 Friar EA, Robichaux RH, Mount DW. Molecular genetic variation following a population crash in the endangered Mauna Kea silversword *Argyroxiphium sandwicense* ssp. *sandwicense* (Asteraceae), 687
 Friard O *see* Migheli Q
 Friesen MK *see* Buchanan FC
 Friesen VL, Montevecchi WA, Baker AJ, Barrett RT, Davidson WS. Population differentiation and evolution in the common guillemot *Uria aalge*, 793
 Fumagalli L *see* Taberlet P
- Gadau J, Heinze J, Hölldobler B, Schmid M. Population and colony structure of the carpenter ant *Camponotus floridanus*, 784
 Galbusera P, Volckaert FA, Hellemans B, Ollevier F. Isolation and characterization of microsatellite markers in the African catfish *Clarias gariepinus* (Burchell, 1822), 703
 Giuffra E, Guyomard R, Forneris G. Phylogenetic relationships and introgression patterns between incipient parapatric species of Italian brown trout (*Salmo trutta* L. complex), 207
 Good DA *see* Bass AL
 Goodman RM *see* Chen J
 Goto RM *see* Nusser JA
 Goudet J *see* Estoup A
 Gouyon P-H *see* Manicacci D
 Greville WD *see* Houlden BA
 Gullino ML *see* Migheli Q
 Guyomard E *see* Giuffra E
- Haag C *see* Bartsch D
 Hagen MJ, Hamrick JL. A hierarchical analysis of population genetic structure in *Rhizobium leguminosarum* bv. *trifolii*, 177
 Hagen MJ, Hamrick JL. Population level processes in *Rhizobium leguminosarum* bv. *trifoli*: the role of founder effects, 707
 Haig SM, Bowman R, Mullins TD. Population structure of red-cockaded woodpeckers in south Florida: RAPDs revisited, 725
 Halford PD *see* Burrows PR
- Hall HG *see* McMichael M
 Hallbeck L *see* Pedersen K
 Halverson JL *see* Millar CD
 Hamilton SA *see* King TM
 Hamrick JL *see* Hagen MJ
 Handelsman J *see* Chen J
 Hargrove JW *see* Woolhouse MEJ
 Hart H't *see* Mes THM
 Hatcher DR *see* Heath DD
 Haubold B, Rainey PB. Genetic and ecotypic structure of a fluorescent *Pseudomonas* population, 747
 Heath DD, Hatcher DR, Hilbish TJ. Ecological interactions between sympatric *Mytilus* species on the west coast of Canada investigated using PCR markers, 443
 Hebert PDN *see* Wilson CC
 Heinze J *see* Gadau J
 Hellemans B *see* Galbusera P
 Hewitt GM *see* Zhang D-X
 Hilbish TJ *see* Heath DD
 Hillis Z-M *see* Bass AL
 Hobæk A *see* Weider LJ
 Hölldobler B *see* Gadau J
 Hooper RE, Siva-Jothy MT. Last male sperm precedence in a damselfly demonstrated by RAPD profiling, 449
 Horrocks JA *see* Bass AL
 Houlden BA, England PR, Taylor AC, Greville WD, Sherwin WB. Low genetic variability of the koala *Phascolarctos cinereus* in south-eastern Australia following a severe population bottleneck, 269
- Ishibashi Y, Saitoh T, Abe S, Yoshida MC. Null microsatellite alleles due to nucleotide sequence variation in the grey-sided vole *Clethrionomys rufocanus*, 589
- Jaarola, M *see* Fedorov, V
 Jacobson LM *see* Chen J
 James SH *see* Kennington WJ
 Johannesen J, Veith M, Seitz A. Population genetic structure of the butterfly *Melitaea didyma* (Nymphalidae) along a northern distribution range border, 259
- Kareiva P *see* Lewis MA
 Kayser M, Ritter H, Bercovitch F, Mrug M, Roewer L, Nürnberg, P. Identification of highly polymorphic microsatellites in the rhesus macaque *Macaca mulatta* by cross-species amplification, 157
 Keim P *see* Kimberling DN; Travis SE
 Kennington WJ, Waycott M, James SH. DNA fingerprinting supports notions of clonality in a rare mallee, *Eucalyptus argutifolia*, 693
 Kimberling DN, Ferreira AR, Shuster SM, Keim P. RAPD marker estimation of genetic structure among isolated northern leopard frog populations in the south-western USA, 521
 King TM, Wallis GP, Hamilton SA, Fraser JR. Identification of a hybrid zone between distinctive colour variants of the alpine weta *Hemideina maori* (Orthoptera: Stenopelmidae) on the Rock and Pillar range, southern New Zealand, 583
 Knowles LL *see* Meyer A
 Kohli Y, Kohn LM. Mitochondrial haplotypes in populations of the plant-infecting fungus *Sclerotinia sclerotiorum*: wide distribution in agriculture, local distribution in the wild, 773
 Kohn LM *see* Kohli Y

- Lacaille V *see* Blouin MS
- Lade JA, Murray ND, Marks CA, Robinson NA. Microsatellite differentiation between Phillip Island and mainland Australian populations of the red fox *Vulpes vulpes*, 81
- Lahans PN *see* Encalada SE
- Lambert DM *see* Finch MO; Millar CD
- Largiadèr CR, Scholl A. Genetic introgression between native and introduced brown trout *Salmo trutta* L. population in the Rhône River Basin, 417
- Lavery S, Moritz C, Fielder DR. Indo-Pacific population structure and evolutionary history of the coconut crab *Birgus latro*, 557
- Lebrun MH *see* Carlier J
- Ledig DB *see* Nusser JA
- Lelli L *see* Vendramin GG
- Lewis MA, Schmitz G, Kareiva P, Trevors JT. Models to examine containment and spread of genetically engineered microbes, 165
- Lipari SE *see* Mueller UG
- Littlejohn RP *see* Buchanan FC
- Lotz S *see* Blouin MS
- McMichael M, Hall HG. DNA RFLPs at a highly polymorphic locus distinguish European and African subspecies of the honey bee *Apis mellifera* L. and suggest geographical origins of New World honey bees, 403
- McMillan WO, Bermingham E. The phylogeographical pattern of mitochondrial DNA variation in the Dall's porpoise *Phocoenoides dalli*, 47
- McNamara JJ *see* Woolhouse MEJ
- Malcolm JR *see* Patton JL
- Manicacci D, Couvet D, Belhassen E, Gouyon P-H, Atlan, A. Founder effects and sex ratio in the gynodioecious *Thymus vulgaris* L., 63
- Marks CA *see* Lade JA
- Marsh HD *see* Tikel D
- Martínez-Torres D, Simon JC, Fereres, A, Moya, A. Genetic variation in natural populations of the aphid *Rhopalosiphum padi* as revealed by maternally inherited markers, 659
- Maschinski J *see* Travis SE
- Medina M *see* Brawn JD
- Mes THM, Hart H't. The evolution of growth-forms in the Macaronesian genus *Aeonium* (Crassulaceae) inferred from chloroplast DNA RFLPs and morphology, 351
- Meyer A, Knowles LL, Verheyen E. Widespread geographic distribution of mitochondrial haplotypes in rock-dwelling cichlid fishes from Lake Tanganyika, 341
- Migheli Q, Friard O, Del Tedesco D, Musso MR, Gullino ML. Stability of transformed antagonistic *Fusarium oxysporum* strains *in vitro* and in soil microcosms, 641
- Mikko S *see* Ellegren H
- Milgroom MG *see* Mueller UG
- Millar CD, Lambert DM, Anderson S, Halverson JL. Molecular sexing of the communally breeding pukeko: an important ecological tool, 289
- Miller MM *see* Nusser JA
- Miyamoto MM *see* Encalada SE
- Møller AP *see* Primmer CR
- Montevecchi WA *see* Friesen VL
- Morgante M *see* Vendramin GG
- Moritz C *see* Lavery S; Pope LC
- Mount DW *see* Friar EA
- Mourichon X *see* Carlier, J
- Moya A *see* Martínez-Torres D
- Mrug *see* Kayser, M
- Mueller UG, Lipari SE, Milgroom MG. Amplified fragment length polymorphism (AFLP) fingerprinting of symbiotic fungi cultured by the fungus-growing ant *Cyphomyrmex minutus*, 119
- Mullins TD *see* Haig SM
- Mundy NI, Woodruff DS. Polymorphic microsatellite markers in the loggerhead shrike *Lanius ludovicianus* isolated from a library enriched for CA repeats, 811
- Murray ND *see* Lade JA
- Musso MR *see* Migheli Q
- Nelson WS, Prodöhl PA, Avise JC. Development and application of long-PCR for the assay of full-length animal mitochondrial DNA, 807
- Neumann K, Wetton JH. Highly polymorphic microsatellites in the house sparrow *Passer domesticus*, 307
- Nürnberg P *see* Kayser M
- Nusser JA, Goto RM, Ledig DB, Fleischer RC, Miller MM. RAPD analysis reveals low genetic variability in the endangered light-footed clapper rail, 463
- O'Connell M, Wright JM, Farid A. Development of PCR primers for nine polymorphic American mink *Mustela vison* microsatellite loci, 311
- Ollevier F *see* Galbusera P
- Palsbøll P. *see* Bérubé M
- Pálsson S *see* Árnason E
- Palumbi SR *see* Baker CS
- Pamilo P *see* Paxton RJ
- Parkin DT *see* Austin JJ
- Parsons M *see* Blouin MS
- Patton JL, Da Silva MNF, Malcolm JR. Hierarchical genetic structure and gene flow in three sympatric species of Amazonian rodents, 229
- Paxton RJ, Thorén PA, Tengö J, Estoup A, Pamilo P. Mating structure and nestmate relatedness in a communal bee, *Andrena jacobii* (Hymenoptera, Andrenidae), using microsatellites, 511
- Pedersen K, Arlinger J, Hallbeck L, Pettersson C. Diversity and distribution of subterranean bacteria in groundwater at Oklo in Gabon, Africa, as determined by 16S rRNA gene sequencing, 427
- Perotto S, Actis-Perino E, Perugini J, Bonfante P. Molecular diversity of fungi from ericoid mycorrhizal roots, 123
- Perugini J *see* Perotto, S
- Petit D *see* Piquot Y
- Petit RJ *see* El Mousadik A
- Pettersson C *see* Pedersen K
- Piquot Y, Saumitou-Laprade P, Petit D, Vernet P, Epplen JT. Genotypic diversity revealed by allozymes and oligonucleotide DNA fingerprinting in French populations of the aquatic macrophyte *Sparganium erectum*, 251
- Pohl-Orf M *see* Bartsch D
- Pope LC, Sharp A, Moritz C. Population structure of the yellow-footed rock-wallaby *Petrogale xanthopus* (Gray, 1854) inferred from mtDNA sequences and microsatellite loci, 629
- Pouchot-Lermans A *see* Briese DT
- Powell W *see* Dawson IK

- Primmer CR, Møller AP, Ellegren H. A wide-range survey of cross-species microsatellite amplification in birds, 365
- Prodöhl PA *see* Nelson WS
- Queller DC *see* Strassmann JE
- Rainey PB *see* Haubold B
- Reist JD *see* Wilson CC
- Richard KR, Whitehead H, Wright JM. Polymorphic microsatellites from sperm whales and their use in the genetic identification of individuals from naturally sloughed pieces of skin, 313
- Richardson JI *see* Bass AL
- Rieseberg LH. Homology among RAPD fragments in interspecific comparisons, 99
- Ritter H *see* Kayser M
- Robichaux RH *see* Friar EA
- Robinson NA *see* Lade JA
- Roewer L *see* Kayser M
- Rossi P *see* Vendramin, GG
- Saitoh T *see* Ishibashi Y
- Saumitou-Laprade P *see* Piquot Y
- Saville BJ, Yoell H, Anderson JB. Genetic exchange and recombination in populations of the root-infecting fungus *Armillaria gallica*, 485
- Schierwater B *see* Ender A
- Schmid M *see* Gadau J
- Schmidt M *see* Bartsch D
- Schmitz G *see* Lewis MA
- Schneider, CJ. Distinguishing between primary and secondary intergradation among morphologically differentiated populations of *Anolis marmoratus*, 239
- Scholl A *see* Estoup A; Largiadèr CR
- Schuphan I *see* Bartsch D
- Schwenk K *see* Ender A
- Seidler RJ *see* Widmer F
- Seitz A *see* Johannessen J
- Sharp A *see* Pope LC
- Sherwin WB *see* Houlden BA
- Shuster SM *see* Kimberling DN
- Simon JC *see* Martínez-Torres D
- Simons AJ *see* Dawson IK
- Sites, JW, Jr, Basten CJ, Asmussen MA. Cytonuclear genetic structure of a hybrid zone in lizards of the *Sceloporus grammicus* complex (Sauria, Phrynosomatidae), 379
- Siva-Jothy MT *see* Hooper RE
- Solignac M *see* Estoup, A
- Solís CR *see* Strassmann JE
- Städler T *see* Ender A
- Stibor H *see* Weider LJ
- Strassmann JE, Solís CR, Barefield K, Queller DC. Trinucleotide microsatellite loci in a swarm-founding neotropical wasp, *Parachartergus colobopterus* and their usefulness in other social wasps, 459
- Streit B *see* Ender A
- Sundin GW, Bender CL. Dissemination of the *strA-strB* streptomycin-resistance genes among commensal and pathogenic bacteria from humans, animals and plants, 133
- Taberlet P, Fumagalli L. Owl pellets as a source of DNA for genetic studies of small mammals, 301
- Taylor AC *see* Houlden BA
- Tengö J *see* Paxton RJ
- Thorén PA *see* Paxton RJ
- Tikel D, Blair D, Marsh HD. Marine mammal faeces as a source of DNA, 457
- Travis SE, Maschinski J, Keim P. An analysis of genetic variation in *Astragalus crennophyllax* var. *crenophyllax*, a critically endangered plant, using AFLP markers, 735
- Trevors JT *see* Lewis MA
- Valsecchi E, Amos W. Microsatellite markers for the study of cetacean populations, 151
- Veith M *see* Johannessen J
- Vendramin GG, Lelli L, Rossi P, Morgante M. A set of primers for the amplification of 20 chloroplast microsatellites in Pinaceae, 595
- Verheyen E *see* Meyer A
- Vernet P *see* Piquot Y
- Volckaert FA *see* Galbusera P
- Volpe JP, Ferguson MM. Molecular genetic examination of the polymorphic Arctic charr *Salvelinus alpinus* of Thingvallavatn, Iceland, 763
- Wallin K *see* Ellegren H
- Wallis GP *see* King TM
- Watrud LS *see* Widmer F
- Waugh R *see* Dawson, IK
- Waycott M *see* Kennington WJ
- Weider LJ, Hobæk A, Crease TJ, Stibor H. Molecular characterization of clonal population structure and biogeography of arctic apomictic *Daphnia* from Greenland and Iceland, 107
- Wetton JH *see* Neumann K
- Whitehead H *see* Richard KR
- Widmer F, Seidler RJ, Watrud LS. Sensitive detection of transgenic plant marker gene persistence in soil microcosms, 603
- Wilkinson GS, Fleming TH. Migration and evolution of lesser long-nosed bats *Leptonycteris curasoae*, inferred from mitochondrial DNA, 329
- Wilson CC, Hebert PDN, Reist JD, Dempson JB. Phylogeography and postglacial dispersal of arctic charr *Salvelinus alpinus* in North America, 187
- Woodruff DS *see* Mundy NI
- Woolhouse MEJ, McNamara JJ, Hargrove JW, Bealby KA. Distribution and abundance of trypanosome (subgenus *Nannomonas*) infections of the tsetse fly *Glossina pallidipes* in southern Africa, 11
- Wright JM *see* Coltman DW; O'Connell M; Richard KR
- Yoell H *see* Saville BJ
- Yoshida MC *see* Ishibashi Y
- Zapater MF *see* Carlier J
- Zhang D-X, Hewitt GM. An effective method for allele-specific sequencing using restriction enzyme and biotinylation (ASSURE B), 591
- Zhang D-X, Hewitt GM. Highly conserved nuclear copies of the mitochondrial control region in the desert locust *Schistocerca gregaria*: some implications for population studies, 295

Keyword index

- A + T-rich region, 295
- adaptive radiation, 341, 351
- Aeonium*, 351
- AFLP fingerprinting, 119
- Africa, 11
- African bees, 403
- African catfish, 703
- agriculture, 165
- allele-specific, 591
- allopatric speciation, 531
- allozyme electrophoresis, 177, 259, 707, 747
- allozymes, 107, 207
- amplified fragment length polymorphisms, 735
- antagonistic *Fusarium oxysporum*, 641
- antibiotic resistance, 133
- ants, 599
- aphid, 659
- Apis mellifera*, 403
- aquatic plants, 251
- arctic, 107
- Arctic charr, 187, 763
- Argania spinosa*, 547
- Argyroxiphium*, 687
- Astragalus crennophyllax* var. *crenophyllax*, 735
- Atlantic cod, 715
- attine fungi, 119
- average heterozygosity, 735
- avian sex, 289
- Bacillus cereus*, 73
- bacteria, 427
- band-sharing, 221
- bandsharing-coefficient, 784
- Bangombé, 427
- basidiomycetes, 485
- bee, 511
- biogeography, 107, 793
- biological control, 73, 641
- biotechnology, 603
- biotinylation, 591
- birds, 33, 365
- Birgus latro*, 557
- Bombus canariensis*, 19
- Bombus terrestris*, 19
- bones, 301
- bottleneck, 3
- breeding system, 251
- bumble bee, 19
- CA-repeat, 269
- Calluna vulgaris*, 123
- Calopteryx splendens xanthostoma*, 449
- Camponotus floridanus*, 784
- Cetacea, 269, 571
- cetacean, 151
- cetaceans, 47
- charr, 317
- Chelonia mydas*, 473
- chloroplast, 351
- chloroplast DNA (cpDNA), 547
- chloroplast genome, 595
- chromosomes, 379
- cichlids, 341
- CITES, 671
- clapper rail, 463
- Clarias gariepinus*, 703
- clonality, 485, 693, 773
- clone identification, 693
- clones, 107
- colonization history, 577
- communal, 511
- competition, 165, 443
- competitiveness, 199
- conservation, 151, 269, 417, 629
- control region sequences, 456
- control region, 329, 473, 629
- conservation genetics, 311, 321, 463, 557, 725, 735, 811
- covariance, 221
- Cyphomyrmex minutus*, 119
- cytochrome *b* variation, 715, 793
- cytochrome oxidase II, 583
- cytonuclear disequilibria, 379
- cytoplasmic male sterility, 63
- damselflies, 449
- Daphnia*, 107, 437
- differentiation, 547
- discontinuous variation, 403
- dispersal, 33
- dispersal biogeography, 473
- diversity, 427, 659
- DNA, 703
- DNA amplification, 807
- DNA extraction, 457
- DNA fingerprinting, 3, 145, 221, 693
- DNA persistence, 603
- DNA probe, 11
- DNA probes, 289
- DNA profiles, 453
- DNA sequencing, 427
- dugong, 456
- ecological biosafety research, 199
- ecotypic structure, 747
- endangered plants, 687
- endangered species, 329
- environmental DNA preparation, 603
- epidemiology, 11
- equilibrium populations, 47
- ericoid fungi, 123
- Eucalyptus*, 693
- Eudiptula minor*, 81
- evolution, 365
- evolutionary genetics, 651
- extra-pair fertilization, 145
- F-statistics, 259
- fluorescent *Pseudomonas*, 747
- forensics, 671
- Formica*, 599
- Formicidae, 599
- founder effect, 499, 577, 707
- founder effects, 63, 177
- F_{ST} , 784
- fungus-growing ants, 119
- Fusarium* wilt of carnation, 641
- G. maculata*, 89
- Gadus morhua*, 715
- gametic disequilibrium, 499
- GEM, 165
- gene flow, 33, 81, 229, 239, 557, 715
- gene transfer, 133
- gene transfer consequences, 199
- genetic conservation, 19
- genetic diversity, 463, 499
- genetic erosion, 89
- genetic marker, 295
- genetic polymorphism, 123
- genetic population structure, 499
- genetic relationships, 99
- genetic structure, 177, 229, 707
- genetic transformation, 641
- genetic variability, 311
- genetic variation, 3, 81, 269, 687, 725
- genetics, 47
- genomic variation, 697
- genotype, 571
- genotyping, 313
- geographical origins, 403
- geographical variation, 33
- Gliricidia sepium*, 89
- Globodera pallida*, 697
- grey-sided vole, 589
- guillemot, 793
- gynodioecy, 63
- harbour seal, 161
- Hawaiian silversword, 687
- Helianthus*, 99
- heterogeneity, 591
- heteroplasmy, 295, 485
- heterozygosity, 157, 591
- heterozygote deficiency, 453
- hierarchical population structure, 259
- homology, 99
- host biotype, 531
- host-choice evolution, 531

- house sparrow, 307
 hybrid zone, 207, 379, 583
 hybridization, 417
 hygromycin B resistance, 641
- inbreeding, 511
 incipient species, 207
 Indo-Pacific, 557
 Insectivora, 301
 interspecific amplification, 365
 interspecific gene flow, 89
 intraspecific gene genealogies, 47
 introgression, 417
 invasion, 165
 island population, 19
 isozyme electrophoresis, 583
 IWC, 671
- kinship, 393, 651
 koala, 269
- Lanius*, 811
 life cycles, 659
 linkage disequilibrium, 177, 707
 linkage equilibrium, 485, 747
 loggerhead shrike, 811
 long-nosed bat, 329
- M13 repeat sequence, 693
Macaca mulatta, 157
 mallee, 693
 management, 47, 417
 marine mammal faeces, 456
 marine mussels, 443
 marine turtles, 321
 marsupial, 629
 mating frequency, 784
 maximum likelihood estimation, 453
Melitaea didyma, 259
Mesomys, 229
 MHC, 3
 mice, 393
 micro-evolution of *Larinus* weevils, 531
 microsatellite, 161, 269, 307, 313, 317, 393, 511, 571, 589, 811
 microsatellites, 19, 81, 151, 157, 365, 437, 459, 595, 599, 615, 629, 703
 migration, 329
 migratory behaviour, 321
 minisatellite DNA, 651
 minisatellites, 763
 mitochondrial DNA, 19, 33, 89, 187, 239, 295, 321, 329, 473, 577, 671, 773
 mitochondrial plasmids, 773
 mitotic stability, 641
 model, 165
 molecular evolution, 807
 moose, 3
 morphology, 351
 morphs, 763
 mtDNA, 107, 229, 379, 485, 557, 583, 659, 715
 multilocus DNA fingerprinting, 784
- murre, 793
Mus musculus, 393
 mustelids, 311
 mutation rate, 307
 mycorrhizae, 123
Mycosphaerella fijiensis, 499
 Mysticeti, 269
Mytilus californianus, 443
Mytilus trossulus, 443
- natural habitat inventory, 199
 Neotropics, 33
 nesting beaches, 321
 non-independence, 221
 northern leopard frog, 521
 Norwegian, 715
 NPT-II gene detection, 603
 nuclear copy, 295
 null allele, 589, 811
 null alleles, 307, 453
- Odontoceti, 269
 Oklo, 427
 oligonucleotide DNA fingerprinting, 251
Oligoryzomys, 229
 open coast, 443
 ordered alleles, 547
 orthology, 99
 Orthoptera, 583
Oryzomys, 229
 owl pellets, 301
- paralogy, 99
 paternity, 615
 pathogenesis related protein, 57
 PCR, 11, 161, 365, 437, 456, 591
 PCR techniques, 123
 phenotype, 747
Phoca vitulina concolor, 161
 phocidae, 161
 phylogenetic, 671
 phylogeny, 207, 365, 427
 phylogeography, 19, 187, 341, 473, 793
Physeter macrocephalus, 313
Phytophthora parasitica, 73
 Pinaceae, 595
 pinniped, 161
 plant mitochondria, 63
 Pleistocene zoogeography, 187
 polymerase chain reaction, 301, 807
 polymorphism, 295, 583, 763
 population bottleneck, 269
 population differentiation, 735
 population genetic structure, 521, 793
 population genetics, 19, 81, 557, 571
 population genetics of *Larinus* weevils, 531
 population markers, 151
 population structure, 221, 239, 321, 629, 725, 784
 populations, 773
 post-glacial dispersal, 187
- primary intergradation, 239
 primates, 157
 primers, 317, 811
 principal coordinate analysis, 403
 proportion of polymorphic genes, 735
 protein variation, 417
 pukeko, 289
Pythium aphanidermatum, 73
Pythium torulosum, 73
- quantitative PCR, 603
Quercus macrocarpa, 615
- Rallus longirostris levipes*, 463
Rallus longirostris yumanensis, 463
Rana, 521
 random amplified polymorphic DNA (RAPD), 99, 449
 RAPD, 437, 463, 521, 697
 RAPD loci, 687
 RAPDs, 89, 725
 recombination, 747
 red-cockaded wood pecker, 725
 relatedness, 393, 459, 511
 reproductive success, 145
 restoration, 687
 restriction fragment length polymorphisms, 807
 restriction site variation, 659
 RFLP, 499
 RFLPs, 89, 403
 rhesus monkey, 157
Rhizobium leguminosarum, 177, 707
 risk assessment, 603
 rock-wallaby, 629
 rodents, 301
 16S rRNA, 427
 RSF1010, 133
- Salmo trutta*, 207
Salvelinus, 187, 317
 sampling design, 259
Sceloporus grammicus, 379
 secondary intergradation, 239
 seed dispersal, 547, 615
 seed emergence, 199
 selection, 177, 239, 707
 sequencing PCR, 473
 sex assignment, 289
 sex ratio, 63
 short tandem repeats, 307
 short-tailed shearwater *Puffinus tenuirostris*, 145
Simochromis babaulti, 341
 simple repeats, 251
 simple sequence repeats, 437, 595
 single-locus DNA markers, 599
 single-locus profiling, 307
 size variation, 659
 sloughed skin, 313
 social insects, 19
 sociality, 511

- sociobiology, 459
- solid-phase DNA sequencing, 591
- Sparganium erectum*, 251
- speciation, 341
- species markers, 443
- sperm competition, 449
- sperm precedence, 449
- sperm whale, 313
- spread, 165
- SSCP, 3
- SSCPs, 89
- stocking, 417
- stocking effects, 207
- STR, 151
- STR polymorphisms 157
- sunflower, 99
- swampen, 289
- symbiosis, 119
- systemic acquired resistance, 73
- total DNA extraction, 301
- transgenic sugar beet, 199
- translocations, 725
- transposon Tn5393, 133
- trees, 615
- trinucleotide repeats, 459
- tuatara, 651
- Tymus vulgaris*, 63
- Tyto alba*, 301
- universal primers, 547
- vector, 11
- vegetative reproduction, 251
- Vespidae, 459
- virulence, 697
- Vulpes vulpes*, 81
- wasps, 459
- weeds, 773
- whales, 151
- whaling, 671
- wood lemming (*Myopus schisticolor*)
- X-linked, 313
- ZFX, 269
- ZFY, 269



